

Baby Clifford



Approximate finished size: 45½" x 51¼"


Baby Clifford



21493 R



21317 G



21322 A



21321 RB



21319 B (backing)



21316 R



21315 B

Yardage Requirements

Pattern	Yards
21315 B	1 Panel
21317 G	1¼
21493 R	¾
21322 A	⅝
21321 RB	½
21316 R	¾
21319 B backing	3½





Finished Block Size : 6 $\frac{1}{8}$ " x 6 $\frac{1}{8}$ "
Quilt Designed by Vicki Niro

Materials Needed:

1 panel 21315B
1 $\frac{1}{4}$ yds 21317G Green Dogs
 $\frac{3}{4}$ yd 21493R Red
5/8 yd 21322A Brown Dots
 $\frac{1}{2}$ yd 21321RB Stripe
 $\frac{3}{4}$ yd 21316R Blocks
3 $\frac{1}{2}$ yds 21319B Blue Clifford

Note: Unless noted, measurements are given in inches and seam allowance is $\frac{1}{4}$ ". Strips are cut selvedge to selvedge.

CUTTING AND FABRIC PREPARATION:

- 21315B Panel: Fussy cut center image 20" x 26 $\frac{1}{4}$ "
- 21317G Green Dogs: a. Cut (4) 2 $\frac{1}{2}$ ". Subcut (2) 2 $\frac{1}{2}$ " x 28" and (2) 2 $\frac{1}{2}$ " x 25 $\frac{1}{2}$ ". b. Cut (5) 4 $\frac{1}{2}$ " strips.
- 21493R Red: Cut (3) 7 $\frac{1}{8}$ ". Subcut (44) 7 $\frac{1}{4}$ " x 2 $\frac{1}{4}$ " rectangles. Cut each rectangle in half, corner to corner (Diagram 1).
- 21322A Brown Dots: a. Cut (4) 1". Subcut (2) 1" x 26 $\frac{1}{4}$ " and (2) 1 $\frac{1}{4}$ " x 21 $\frac{1}{2}$ ". b. Cut (6) 2 $\frac{1}{4}$ " strips.
- 21321RB Stripe: Cut (2) 6 $\frac{1}{4}$ ". Subcut (44) 6 $\frac{1}{4}$ " x 2" rectangles. Cut each rectangle corner to corner (Diagram 1)
- 21316R Blocks: Fussy Cut (22) block images 4 $\frac{5}{8}$ " x 4 $\frac{5}{8}$ ", centering the images.

Piecing:

- Sew a Stripe (diagonal side) triangle to one side of the 4 $\frac{5}{8}$ " x 4 $\frac{5}{8}$ " fussy cut block image. With right sides together, and raw edges matched up, match up the "point" of the triangle to the outer edge of the block (Diagram 2). Press towards the fussy cut block image.
- Continue sewing stripe print triangles to the remaining sides of the block in the same manner, pressing as you go.
- Trim block to 5 $\frac{1}{2}$ " x 5 $\frac{1}{2}$ ". When trimming, make sure you are $\frac{1}{4}$ " away from your center block seam. Make (22) Unit A.
- Sew a Red (diagonal side) triangle to one side of Unit A. With right sides together, and raw edges matched up, match up the "point" of the triangle to the outer edge of the block (Diagram 2).
- Press away from Unit A.
- Continue sewing red print triangles to the remaining sides of the block in the same manner, pressing as you go.
- Trim block to 6 $\frac{5}{8}$ " x 6 $\frac{5}{8}$ ". When trimming, make sure you are $\frac{1}{4}$ " away from your previous stripe print seam. Make (22) BLOCKS

14. Sew (5) BLOCKS together to make a Side Border. Remember to twist and turn the blocks, ensuring motifs are not upside down. Remember that these five blocks will make up each of the side borders, and orient your blocks appropriately. Make (2).

15. Sew (6) BLOCKS together to make Top/Bottom Border. Remember to twist and turn the blocks, ensuring motifs are not upside down. Remember that these six blocks will make up your top or bottom border, and orient your blocks appropriately. Make (2).

Quilt Top Assembly:






- Sew 1" x 26 $\frac{1}{4}$ " 21322A brown dots strips to left and right side of large fussy cut panel.
- Press away from panel.
- Sew 1" x 21 $\frac{1}{2}$ " 21322A brown dots strips to top and bottom of large fussy cut panel.
- Press away from panel. Square up corners.
- Sew 2" x 28" 21317G green dogs print to left and right side of large fussy cut panel.
- Press away from panel.
- Sew 2" x 25 $\frac{1}{2}$ " 21317G green dogs print to top and bottom side of large fussy cut panel.
- Press away from panel. Square up corners.
- Sew the five block side borders to left and right side of center panel. Center block border on panel; trim as necessary.
- Press toward center panel.
- Sew the six block side borders to top and bottom of center panel.
- Press toward center panel.

Outer Border:

- Stitch (5) 4 $\frac{1}{2}$ " 21317G green dogs print strips together at a 45 degree angle, end to end making one long strip; trim and press seams open. Subcut (2) 4 $\frac{1}{2}$ " x 46" (top and bottom outside border) and (2) 4 $\frac{1}{2}$ " x 44 $\frac{1}{2}$ ".
- Sew 4 $\frac{1}{2}$ " x 44 $\frac{1}{2}$ " strips to left and right side of quilt.
- Press away from quilt center. Trim to fit.
- Sew 4 $\frac{1}{2}$ " x 46" strips to left and right side of quilt.
- Press away from quilt center. Trim to fit.
- Sew (5) 2 $\frac{1}{2}$ " 21322A brown dot print strips together end to end, at a 45 degree angle, to create your binding strip. Press in half lengthwise, WST.

FINISH THE QUILT

- Cut the 21319B Blue Clifford print backing fabric into (2) 1 $\frac{3}{4}$ yards long pieces.
- Using a $\frac{1}{2}$ " seam allowance, sew the two pieces of backing fabric together, along the long side. Press the seam open.
- Center and lay the batting on top of the wrong side of the backing fabric
- Center and lay the pieced quilt top on top of the batting.
- Pin or baste the quilt sandwich using your preferred method for securing the layers.
- Quilt as desired.
- Use the (6) 21322A brown dots print 2 $\frac{1}{4}$ " strips to bind the quilt.



Finished Block